


PHYSICAL SETTING SOURCE MAP - 01179291.1r



- County Boundary
- Major Roads
- Contour Lines
- Earthquake epicenter, Richter 5 or greater
- Water Wells
- Public Water Supply Wells
- Cluster of Multiple Icons

- Groundwater Flow Direction
- Indeterminate Groundwater Flow at Location
- Groundwater Flow Varies at Location

TARGET PROPERTY: Depot Energy Company
ADDRESS: 7 Depot Street
CITY/STATE/ZIP: Windham ME 04062
LAT/LONG: 43.7351 / 70.4254

CUSTOMER: Jacques Whitford Company
CONTACT: Aaron Martin
INQUIRY #: 01179291.1r
DATE: April 26, 2004 8:10 pm

VIL RESP05472

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

1
ENE
0 - 1/8 Mile
Lower

FRDS PWS ME0004228

PWS ID: ME0004228 PWS Status: Active
Date Initiated: 7701 Date Deactivated: Not Reported
PWS Name: SUBURBAN PINES MOTEL-WINDHAM
V.P. ASSOCIATES
PO BOX 41
WESTBROOK, ME 04092

Addressee / Facility: Not Reported

Facility Latitude: 43 44 09 Facility Longitude: 070 25 27
City Served: STRONG
Treatment Class: Untreated Population: 00000048

PWS currently has or had major violation(s) or enforcement: Yes

VIOLATIONS INFORMATION:

Violation ID:	9410408	Source ID:	Not Reported	PWS Phone:	Not Reported
Vio. beginning Date:	01/01/93	Vio. end Date:	12/31/93	Vio. Period:	012 Months
Num required Samples:	Not Reported	Number of Samples Taken:	Not Reported		
Analysis Result:	Not Reported	Maximum Contaminant Level:	Not Reported		
Analysis Method:	Not Reported				
Violation Type:	Monitoring, Routine Major (TCR)				
Contaminant:	COLIFORM (TCR)				
Vio. Awareness Date:	031594				

ENFORCEMENT INFORMATION:

System Name:	SUBURBAN PINES MOTEL		
Violation Type:	Monitoring, Repeat Minor (TCR)		
Contaminant:	COLIFORM (TCR)		
Compliance Period:	1995-01-01 - 1995-12-31	Analytical Value:	00000000.00
Violation ID:	9600001V	Enforcement ID:	9600001E
Enforcement Date:	1996-01-25	Enf. Action:	State Public Notif Requested

System Name:	THE NORTHEASTERN MOTEL		
Violation Type:	Monitoring, Regular		
Contaminant:	NITRATE		
Compliance Period:	2000-01-01 - 2000-12-31	Analytical Value:	0
Violation ID:	0100315	Enforcement ID:	0204773
Enforcement Date:	2001-11-06	Enf. Action:	State Public Notif Requested

System Name:	THE NORTHEASTERN MOTEL		
Violation Type:	Monitoring, Regular		
Contaminant:	NITRATE		
Compliance Period:	2000-01-01 - 2000-12-31	Analytical Value:	0
Violation ID:	0200316	Enforcement ID:	0204772
Enforcement Date:	2001-11-06	Enf. Action:	State Violation/Reminder Notice

System Name:	THE NORTHEASTERN MOTEL		
Violation Type:	Monitoring, Regular		
Contaminant:	NITRATE		
Compliance Period:	2000-01-01 - 2000-12-31	Analytical Value:	0
Violation ID:	0200317	Enforcement ID:	0204978
Enforcement Date:	2001-11-27	Enf. Action:	State Compliance Achieved

VIL_RESP05473

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

ENFORCEMENT INFORMATION:

System Name:	THE NORTHEASTERN MOTEL		
Violation Type:	Monitoring, Routine Major (TCR)		
Contaminant:	COLIFORM (TCR)		
Compliance Period:	2001-04-01 - 2001-06-30	Analytical Value:	0
Violation ID:	0200319	Enforcement ID:	0103592
Enforcement Date:	2001-09-21	Enf. Action:	State Violation/Reminder Notice
System Name:	THE NORTHEASTERN MOTEL		
Violation Type:	Monitoring, Routine Major (TCR)		
Contaminant:	COLIFORM (TCR)		
Compliance Period:	2001-04-01 - 2001-06-30	Analytical Value:	0
Violation ID:	0300323	Enforcement ID:	0103593
Enforcement Date:	2001-09-21	Enf. Action:	State Public Notif Requested
System Name:	THE NORTHEASTERN MOTEL		
Violation Type:	Monitoring, Routine Major (TCR)		
Contaminant:	COLIFORM (TCR)		
Compliance Period:	2001-04-01 - 2001-06-30	Analytical Value:	0
Violation ID:	0300324	Enforcement ID:	0306715
Enforcement Date:	2003-08-15	Enf. Action:	State Compliance Achieved
System Name:	THE NORTHEASTERN MOTEL		
Violation Type:	Monitoring, Routine Major (TCR)		
Contaminant:	COLIFORM (TCR)		
Compliance Period:	2001-10-01 - 2001-12-31	Analytical Value:	0
Violation ID:	0300325	Enforcement ID:	0206598
Enforcement Date:	2002-03-07	Enf. Action:	State Violation/Reminder Notice
System Name:	THE NORTHEASTERN MOTEL		
Violation Type:	Max Contaminant Level, Acute (TCR)		
Contaminant:	COLIFORM (TCR)		
Compliance Period:	2002-09-01 - 2002-09-30	Analytical Value:	0
Violation ID:	0400328	Enforcement ID:	0206698
Enforcement Date:	2002-09-25	Enf. Action:	State Violation/Reminder Notice
System Name:	THE NORTHEASTERN MOTEL		
Violation Type:	Max Contaminant Level, Acute (TCR)		
Contaminant:	COLIFORM (TCR)		
Compliance Period:	2002-09-01 - 2002-09-30	Analytical Value:	0
Violation ID:	0400328	Enforcement ID:	0206699
Enforcement Date:	2002-09-25	Enf. Action:	State Public Notif Requested
System Name:	THE NORTHEASTERN MOTEL		
Violation Type:	Max Contaminant Level, Acute (TCR)		
Contaminant:	COLIFORM (TCR)		
Compliance Period:	2002-09-01 - 2002-09-30	Analytical Value:	0
Violation ID:	0400328	Enforcement ID:	0206700
Enforcement Date:	2002-09-25	Enf. Action:	State Boil Water Order
System Name:	THE NORTHEASTERN MOTEL		
Violation Type:	Max Contaminant Level, Acute (TCR)		
Contaminant:	COLIFORM (TCR)		
Compliance Period:	2002-09-01 - 2002-09-30	Analytical Value:	0
Violation ID:	0400328	Enforcement ID:	0206701
Enforcement Date:	2002-09-25	Enf. Action:	State Tech Assistance Visit
System Name:	THE NORTHEASTERN MOTEL		
Violation Type:	Max Contaminant Level, Acute (TCR)		
Contaminant:	COLIFORM (TCR)		
Compliance Period:	2002-09-01 - 2002-09-30	Analytical Value:	0
Violation ID:	0400328	Enforcement ID:	0206702
Enforcement Date:	2002-09-25	Enf. Action:	State Compliance Meeting Conducted

VIL_RESP05474

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

ENFORCEMENT INFORMATION:

System Name:	THE NORTHEASTERN MOTEL	Analytical Value:	0
Violation Type:	Max Contaminant Level, Acute (TCR)	Enforcement ID:	0306703
Contaminant:	COLIFORM (TCR)	Enf. Action:	State Compliance Achieved
Compliance Period:	2002-09-01 - 2002-09-30		
Violation ID:	0400328		
Enforcement Date:	2002-12-13		
System Name:	THE NORTHEASTERN MOTEL	Analytical Value:	0
Violation Type:	Monitoring, Routine Major (TCR)	Enforcement ID:	0206599
Contaminant:	COLIFORM (TCR)	Enf. Action:	State Public Notif Requested
Compliance Period:	2001-10-01 - 2001-12-31		
Violation ID:	0400328		
Enforcement Date:	2002-03-07		
System Name:	THE NORTHEASTERN MOTEL	Analytical Value:	0
Violation Type:	Monitoring, Routine Major (TCR)	Enforcement ID:	0206696
Contaminant:	COLIFORM (TCR)	Enf. Action:	State Compliance Achieved
Compliance Period:	2001-10-01 - 2001-12-31		
Violation ID:	0400328		
Enforcement Date:	2002-03-22		
System Name:	THE NORTHEASTERN MOTEL	Analytical Value:	0
Violation Type:	Monitoring, Routine Major (TCR)	Enforcement ID:	0306704
Contaminant:	COLIFORM (TCR)	Enf. Action:	State Violation/Reminder Notice
Compliance Period:	2003-02-01 - 2003-02-28		
Violation ID:	0400328		
Enforcement Date:	2003-05-05		
System Name:	THE NORTHEASTERN MOTEL	Analytical Value:	0
Violation Type:	Monitoring, Routine Major (TCR)	Enforcement ID:	0306705
Contaminant:	COLIFORM (TCR)	Enf. Action:	State Public Notif Requested
Compliance Period:	2003-02-01 - 2003-02-28		
Violation ID:	0400328		
Enforcement Date:	2003-05-05		
System Name:	THE NORTHEASTERN MOTEL	Analytical Value:	0
Violation Type:	Monitoring, Routine Major (TCR)	Enforcement ID:	0306708
Contaminant:	COLIFORM (TCR)	Enf. Action:	State Public Notif Received
Compliance Period:	2003-02-01 - 2003-02-28		
Violation ID:	0400328		
Enforcement Date:	2003-05-19		
System Name:	THE NORTHEASTERN MOTEL	Analytical Value:	0
Violation Type:	Monitoring, Routine Major (TCR)	Enforcement ID:	0306715
Contaminant:	COLIFORM (TCR)	Enf. Action:	State Compliance Achieved
Compliance Period:	2003-02-01 - 2003-02-28		
Violation ID:	0400328		
Enforcement Date:	2003-08-15		
System Name:	THE NORTHEASTERN MOTEL	Analytical Value:	0
Violation Type:	Monitoring, Routine Major (TCR)	Enforcement ID:	0306706
Contaminant:	COLIFORM (TCR)	Enf. Action:	State Violation/Reminder Notice
Compliance Period:	2003-03-01 - 2003-03-31		
Violation ID:	0400328		
Enforcement Date:	2003-05-21		
System Name:	THE NORTHEASTERN MOTEL	Analytical Value:	0
Violation Type:	Monitoring, Routine Major (TCR)	Enforcement ID:	0306707
Contaminant:	COLIFORM (TCR)	Enf. Action:	State Public Notif Requested
Compliance Period:	2003-03-01 - 2003-03-31		
Violation ID:	0400328		
Enforcement Date:	2003-05-21		

VIL_RESP05475

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

ENFORCEMENT INFORMATION:

System Name:	THE NORTHEASTERN MOTEL	Analytical Value:	0
Violation Type:	Monitoring, Routine Major (TCR)	Enforcement ID:	0306713
Contaminant:	COLIFORM (TCR)	Enf. Action:	State Public Notif Received
Compliance Period:	2003-03-01 - 2003-03-31		
Violation ID:	0400328		
Enforcement Date:	2003-08-07		
System Name:	THE NORTHEASTERN MOTEL	Analytical Value:	0
Violation Type:	Monitoring, Routine Major (TCR)	Enforcement ID:	0306715
Contaminant:	COLIFORM (TCR)	Enf. Action:	State Compliance Achieved
Compliance Period:	2003-03-01 - 2003-03-31		
Violation ID:	0400328		
Enforcement Date:	2003-08-15		
System Name:	THE NORTHEASTERN MOTEL	Analytical Value:	0
Violation Type:	Monitoring, Routine Major (TCR)	Enforcement ID:	0306709
Contaminant:	COLIFORM (TCR)	Enf. Action:	State Violation/Reminder Notice
Compliance Period:	2003-06-01 - 2003-06-30		
Violation ID:	0400328		
Enforcement Date:	2003-07-25		
System Name:	THE NORTHEASTERN MOTEL	Analytical Value:	0
Violation Type:	Monitoring, Routine Major (TCR)	Enforcement ID:	0306710
Contaminant:	COLIFORM (TCR)	Enf. Action:	State Public Notif Requested
Compliance Period:	2003-06-01 - 2003-06-30		
Violation ID:	0400328		
Enforcement Date:	2003-07-25		
System Name:	THE NORTHEASTERN MOTEL	Analytical Value:	0
Violation Type:	Monitoring, Routine Major (TCR)	Enforcement ID:	0306713
Contaminant:	COLIFORM (TCR)	Enf. Action:	State Public Notif Received
Compliance Period:	2003-06-01 - 2003-06-30		
Violation ID:	0400328		
Enforcement Date:	2003-08-07		
System Name:	THE NORTHEASTERN MOTEL	Analytical Value:	0
Violation Type:	Monitoring, Routine Major (TCR)	Enforcement ID:	0306715
Contaminant:	COLIFORM (TCR)	Enf. Action:	State Compliance Achieved
Compliance Period:	2003-06-01 - 2003-06-30		
Violation ID:	0400328		
Enforcement Date:	2003-08-15		
System Name:	THE NORTHEASTERN MOTEL	Analytical Value:	0
Violation Type:	Monitoring, Routine Minor (TCR)	Enforcement ID:	0406720
Contaminant:	COLIFORM (TCR)	Enf. Action:	State Violation/Reminder Notice
Compliance Period:	2003-09-01 - 2003-09-30		
Violation ID:	0400328		
Enforcement Date:	2003-12-08		
System Name:	THE NORTHEASTERN MOTEL	Analytical Value:	0
Violation Type:	Monitoring, Routine Minor (TCR)	Enforcement ID:	0406721
Contaminant:	COLIFORM (TCR)	Enf. Action:	State Public Notif Requested
Compliance Period:	2003-09-01 - 2003-09-30		
Violation ID:	0400328		
Enforcement Date:	2003-12-08		

2
South
1/4 - 1/2 Mile
Higher

FED USGS USGS0376232

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Agency:	USGS	Site ID:	434347070253001
Site Name:	CW 267		
Dec. Latitude:	43.7298		
Dec. Longitude:	-70.4245		
Coord Sys:	NAD83		
State:	ME		
County:	Cumberland County		
Altitude:	75.1		
Hydrologic code:	Not Reported		
Topographic:	Not Reported		
Site Type:	Ground-water other than Spring		
Const Date:	Not Reported	Inven Date:	Not Reported
Well Type:	Single well, other than collector or Ranney type		
Primary Aquifer:	Not Reported		
Aquifer type:	Not Reported		
Well depth:	45		
Hole depth:	Not Reported	Source:	Not Reported
Project no:	Not Reported		

Ground-water levels, Number of Measurements: 0

3
SSE
1/4 - 1/2 Mile
Lower

FED USGS USGS0376230

Agency:	USGS	Site ID:	434344070252701
Site Name:	CW 268		
Dec. Latitude:	43.72897		
Dec. Longitude:	-70.42366		
Coord Sys:	NAD83		
State:	ME		
County:	Cumberland County		
Altitude:	74.0		
Hydrologic code:	Not Reported		
Topographic:	Not Reported		
Site Type:	Ground-water other than Spring		
Const Date:	Not Reported	Inven Date:	Not Reported
Well Type:	Single well, other than collector or Ranney type		
Primary Aquifer:	Not Reported		
Aquifer type:	Not Reported		
Well depth:	64		
Hole depth:	Not Reported	Source:	Not Reported
Project no:	Not Reported		

Ground-water levels, Number of Measurements: 0

4
SE
1/4 - 1/2 Mile
Higher

FED USGS USGS0376152

VIL_RESP05477

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Agency:	USGS	Site ID:	434350070251101
Site Name:	CW 330		
Dec. Latitude:	43.73063		
Dec. Longitude:	-70.41922		
Coord Sys:	NAD83		
State:	ME		
County:	Cumberland County		
Altitude:	170		
Hydrologic code:	Not Reported		
Topographic:	Not Reported		
Site Type:	Ground-water other than Spring		
Const Date:	1960	Inven Date:	Not Reported
Well Type:	Single well, other than collector or Ranney type		
Primary Aquifer:	Not Reported		
Aquifer type:	Not Reported		
Well depth:	145		
Hole depth:	Not Reported	Source:	Not Reported
Project no:	Not Reported		

Ground-water levels, Number of Measurements: 0

5
NNE
1/2 - 1 Mile
Higher

FED USGS USGS0376244

Agency:	USGS	Site ID:	434436070252501
Site Name:	CW 494		
Dec. Latitude:	43.74341		
Dec. Longitude:	-70.42311		
Coord Sys:	NAD83		
State:	ME		
County:	Cumberland County		
Altitude:	140		
Hydrologic code:	Not Reported		
Topographic:	Not Reported		
Site Type:	Ground-water other than Spring		
Const Date:	1969	Inven Date:	Not Reported
Well Type:	Single well, other than collector or Ranney type		
Primary Aquifer:	Not Reported		
Aquifer type:	Not Reported		
Well depth:	185.6		
Hole depth:	Not Reported	Source:	Not Reported
Project no:	Not Reported		

Ground-water levels, Number of Measurements: 0

6
NE
1/2 - 1 Mile
Higher

FED USGS USGS0376160

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Agency:	USGS	Site ID:	434424070245701
Site Name:	CW 545		
Dec. Latitude:	43.74008		
Dec. Longitude:	-70.41533		
Coord Sys:	NAD83		
State:	ME		
County:	Cumberland County		
Altitude:	160		
Hydrologic code:	Not Reported		
Topographic:	Not Reported		
Site Type:	Ground-water other than Spring		
Const Date:	19680000	Inven Date:	Not Reported
Well Type:	Single well, other than collector or Ranney type		
Primary Aquifer:	Not Reported		
Aquifer type:	Not Reported		
Well depth:	97		
Hole depth:	Not Reported	Source:	Not Reported
Project no:	Not Reported		

Ground-water levels, Number of Measurements: 0

7
NE
1/2 - 1 Mile
Higher

FED USGS USGS0376163

Agency:	USGS	Site ID:	434430070245001
Site Name:	CW 485		
Dec. Latitude:	43.74175		
Dec. Longitude:	-70.41339		
Coord Sys:	NAD83		
State:	ME		
County:	Cumberland County		
Altitude:	160		
Hydrologic code:	Not Reported		
Topographic:	Not Reported		
Site Type:	Ground-water other than Spring		
Const Date:	1965	Inven Date:	Not Reported
Well Type:	Single well, other than collector or Ranney type		
Primary Aquifer:	Not Reported		
Aquifer type:	Not Reported		
Well depth:	145		
Hole depth:	Not Reported	Source:	Not Reported
Project no:	Not Reported		

Ground-water levels, Number of Measurements: 0

VIL_RESP05479

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS RADON

AREA RADON INFORMATION

Federal EPA Radon Zone for CUMBERLAND County: 1

Note: Zone 1 indoor average level > 4 pCi/L.

: Zone 2 indoor average level >= 2 pCi/L and <= 4 pCi/L.

: Zone 3 indoor average level < 2 pCi/L.

Federal Area Radon Information for Zip Code: 04062

Number of sites tested: 4

Area	Average Activity	% <4 pCi/L	% 4-20 pCi/L	% >20 pCi/L
Living Area - 1st Floor	2.300 pCi/L	100%	0%	0%
Living Area - 2nd Floor	Not Reported	Not Reported	Not Reported	Not Reported
Basement	13.700 pCi/L	50%	25%	25%

PHYSICAL SETTING SOURCE RECORDS SEARCHED

TOPOGRAPHIC INFORMATION

USGS 7.5' Digital Elevation Model (DEM)

Source: United States Geologic Survey

EDR acquired the USGS 7.5' Digital Elevation Model in 2002. 7.5-Minute DEMs correspond to the USGS 1:24,000- and 1:25,000-scale topographic quadrangle maps.

HYDROLOGIC INFORMATION

Flood Zone Data: This data, available in select counties across the country, was obtained by EDR in 1999 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002 from the U.S. Fish and Wildlife Service.

HYDROGEOLOGIC INFORMATION

AQUIFLOW^R Information System

Source: EDR proprietary database of groundwater flow information

EDR has developed the AQUIFLOW Information System (AIS) to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted to regulatory authorities at select sites and has extracted the date of the report, hydrogeologically determined groundwater flow direction and depth to water table information.

GEOLOGIC INFORMATION

Geologic Age and Rock Stratigraphic Unit

Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - A digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

STATSGO: State Soil Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Services

The U.S. Department of Agriculture's (USDA) Natural Resources Conservation Service (NRCS) leads the national Conservation Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps.

ADDITIONAL ENVIRONMENTAL RECORD SOURCES

FEDERAL WATER WELLS

PWS: Public Water Systems

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Public Water System data from the Federal Reporting Data System. A PWS is any water system which provides water to at least 25 people for at least 60 days annually. PWSs provide water from wells, rivers and other sources.

PWS ENF: Public Water Systems Violation and Enforcement Data

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Violation and Enforcement data for Public Water Systems from the Safe Drinking Water Information System (SDWIS) after August 1995. Prior to August 1995, the data came from the Federal Reporting Data System (FRDS).

USGS Water Wells: USGS National Water Inventory System (NWIS)

This database contains descriptive information on sites where the USGS collects or has collected data on surface water and/or groundwater. The groundwater data includes information on wells, springs, and other sources of groundwater.

VIL_RESP05481

PHYSICAL SETTING SOURCE RECORDS SEARCHED

STATE RECORDS

Public Water Supply Wells

Source: Department of Human Services, Drinking Water Program

Telephone: 207-287-2070

There are 3 types of public water systems in Maine: Transient Systems; Community Systems and Non-transient Non-community Systems

RADON

Area Radon Information

Source: USGS

Telephone: 703-356-4020

The National Radon Database has been developed by the U.S. Environmental Protection Agency (USEPA) and is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey. The study covers the years 1986 - 1992. Where necessary data has been supplemented by information collected at private sources such as universities and research institutions.

EPA Radon Zones

Source: EPA

Telephone: 703-356-4020

Sections 307 & 309 of IRAA directed EPA to list and identify areas of U.S. with the potential for elevated indoor radon levels.

OTHER

Airport Landing Facilities: Private and public use landing facilities

Source: Federal Aviation Administration, 800-457-6656

Epicenters: World earthquake epicenters, Richter 5 or greater

Source: Department of Commerce, National Oceanic and Atmospheric Administration

APPENDIX 6
TEST PIT EXCAVATION LOGS

(RL Windham Phase I-II.doc-6/17/04)

VIL_RESP05483

TEST PIT EXCAVATION LOG

JACQUES WHITFORD COMPANY, INC

75 Pearl Street, Suite 410

Portland, ME 04101

PROJECT: RL Windham/MEP04127				TESTPIT #: TP-1	
LOCATION: 13 Depot Street, Windham, Maine				DATE: 5/7/2004	
EXCAVATION EQUIPMENT				WEATHER: Fair, 70s	
CONTRACTOR: Les Wilson & Sons		TIME STARTED 0835		FILE NO: Winham TPs	
OPERATOR: Ronald Wilson		TIME COMPLETE 0840		JWC REP: D. Chapman A. Martin	
		GROUND ELEV:			
		DIMENSIONS:			
		LENGTH 8			
		WIDTH: 4			
		DEPTH: 1.8			
SAMPLE DEPTH (feet)	SOIL DESCRIPTION	STRATA CHANGE	EXCAVATION EFFORT	PID READING (ppm)	REMARKS
1	0-0.5 Dark brown poorly graded silty sand moist loose fill. 0.5-1 Black silty fine sand moist loose glaciomarine. 1-1.4 Yellow brown fine to medium sand moist loose glaciomarine. 1.4-1.8 Yellow brown clayey silt moist firm glaciomarine.	Fill Glaciomarine	Easy	See Table 1	
2	Bedrock refusal at 1.8 feet.	Bedrock			
Remarks: No groundwater observed.					

VIL_RESP05484

TEST PIT EXCAVATION LOG

JACQUES WHITFORD COMPANY, INC

75 Pearl Street, Suite 410

Portland, ME 04101

PROJECT: RL Windham/MEP04127				TESTPIT #: TP-2	
LOCATION: 13 Depot Street, Windham, Maine				DATE: 5/7/2004	
EXCAVATION EQUIPMENT				WEATHER: Fair, 70s	
CONTRACTOR: Les Wilson & Sons		TIME STARTED 0845		FILE NO: Winham TPs	
OPERATOR: Ronald Wilson		TIME COMPLETE 0900		JWC REP: D. Chapman A. Martin	
		GROUND ELEV:			
		DIMENSIONS:			
		LENGTH 8			
		WIDTH: 3			
		DEPTH: 6			
SAMPLE DEPTH (feet)	SOIL DESCRIPTION	STRATA CHANGE	EXCAVATION EFFORT	PID READING (ppm)	REMARKS
1	0-1.5 Brown poorly graded fine-medium sand moist loose fill.	Fill	Easy	See Table 1	
2	1.5-2.5 Dark gray poorly graded silty fine-medium sand trace clay firm fill.				
3	2.5-3 Dark gray poorly graded silty clay moist firm glaciomarine.	Glaciomarine			
4	4-6 Dark gray poorly graded silty clay.				
5					
6					
	Bedrock refusal at 6.0 feet.	Bedrock			
Remarks: No groundwater observed.					

VIL_RESP05485

TEST PIT EXCAVATION LOG

JACQUES WHITFORD COMPANY, INC

75 Pearl Street, Suite 410

Portland, ME 04101

PROJECT: RL Windham/MEP04127				TESTPIT #: TP-3	
LOCATION: 13 Depot Street, Windham, Maine				DATE: 5/7/2004	
EXCAVATION EQUIPMENT				WEATHER: Fair, 70s	
CONTRACTOR: Les Wilson & Sons		TIME STARTED: 0920		FILE NO: Winham TPs	
OPERATOR: Ronald Wilson		TIME COMPLETE: 0930		JWC REP: D. Chapman A. Martin	
		GROUND ELEV:			
		DIMENSIONS:			
		LENGTH 8			
		WIDTH: 3			
		DEPTH: 5			
SAMPLE DEPTH (feet)	SOIL DESCRIPTION	STRATA CHANGE	EXCAVATION EFFORT	PID READING (ppm)	REMARKS
1	0-1.2 Brown poorly graded fine sand moist firm fill	Fill	Easy	See Table 1	
2	1.2-1.5 Black silty fine sand moist fill.	Glaciomarine			
3	1.5-2.5 Dark gray poorly graded silty fine-medium sand trace clay firm fill.				
4	2.5-3 Dark gray poorly graded silty clay moist firm glaciomarine.				
5	4-6 Dark gray poorly graded silty clay.				
	Bedrock refusal at 5.0 feet.	Bedrock			
Remarks: No groundwater observed.					

VIL_RESP05486

TEST PIT EXCAVATION LOG

JACQUES WHITFORD COMPANY, INC

75 Pearl Street, Suite 410

Portland, ME 04101

PROJECT: RL Windham/MEP04127				TESTPIT #: TP-4	
LOCATION: 13 Depot Street, Windham, Maine				DATE: 5/7/2004	
EXCAVATION EQUIPMENT		TIME STARTED: 0940		WEATHER: Fair, 70s	
CONTRACTOR: Les Wilson & Sons		TIME COMPLETED: 1020		FILE NO: Winham TPs	
OPERATOR: Ronald Wilson		GROUND ELEV:		JWC REP: D. Chapman A. Martin	
		DIMENSIONS:			
		LENGTH: 8			
		WIDTH: 3			
		DEPTH: 9			
SAMPLE DEPTH (feet)	SOIL DESCRIPTION	STRATA CHANGE	EXCAVATION EFFORT	PID READING (ppm)	REMARKS
1	0-3.5 Dark Brown to Olive Brown well graded silty fine sand trace gravel to cobbles trace	Fill	Easy	See Table 1	
2	clay some pockets of sand-size coal moist				
3	firm fill				
	3.5-3.7 Light Gray silt to fine gravel coal ash moist firm fill				
4	3.7-4.3 Black poorly graded organic silt moist glaciomarine.	Glaciomarine			
5	4.3-6 Dark Gray silty clay moist firm with vegetation roots glaciomarine				
6	6-9 Bluish Gray poorly graded silty clay moist firm glaciomarine				
7					
8					
9					
	Bedrock refusal at 9.0 feet.	Bedrock			
Remarks: No groundwater observed. 0-4' Petroleum Odor					

VIL_RESP05487

TEST PIT EXCAVATION LOG

JACQUES WHITFORD COMPANY, INC

75 Pearl Street, Suite 410

Portland, ME 04101

PROJECT: RL Windham/MEP04127				TESTPIT #: TP-5	
LOCATION: 13 Depot Street, Windham, Maine				DATE: 5/7/2004	
EXCAVATION EQUIPMENT				WEATHER: Fair, 70s	
CONTRACTOR: Les Wilson & Sons		TIME STARTED: 1035		FILE NO: Winham TPs	
OPERATOR: Ronald Wilson		TIME COMPLETED: 1050		JWC REP: D. Chapman A. Martin	
		GROUND ELEV:			
		DIMENSIONS:			
		LENGTH 8			
		WIDTH: 3			
		DEPTH: 10			
SAMPLE DEPTH (feet)	SOIL DESCRIPTION	STRATA CHANGE	EXCAVATION EFFORT	PID READING (ppm)	REMARKS
1	0-4.0 Dark Brown to Reddish Brown well graded silty fine sand trace gravel contains bricks moist firm fill	Fill	Easy	See Table 1	
2					
3					
4	4.0-10.0 Dark Gray clayey silt moist	Glaciomarine			
5	glaciomarine				
6					
7					
8					
9					
10					
	Bedrock refusal at 10.0 feet.	Bedrock			
Remarks: Perched groundwater seeped into excavation at 4'.					

VIL_RESP05488

TEST PIT EXCAVATION LOG

JACQUES WHITFORD COMPANY, INC

75 Pearl Street, Suite 410

Portland, ME 04101

PROJECT: RL Windham/MEP04127				TESTPIT #: TP-6	
LOCATION: 13 Depot Street, Windham, Maine				DATE: 5/7/2004	
EXCAVATION EQUIPMENT				WEATHER: Fair, 70s	
CONTRACTOR: Les Wilson & Sons		TIME STARTED: 1135		FILE NO: Winham TPs	
OPERATOR: Ronald Wilson		TIME COMPLETED: 1155		JWC REP: D. Chapman A. Martin	
		GROUND ELEV:			
		DIMENSIONS:			
		LENGTH 8			
		WIDTH: 3			
		DEPTH: 8			
SAMPLE DEPTH (feet)	SOIL DESCRIPTION	STRATA CHANGE	EXCAVATION EFFORT	PID READING (ppm)	REMARKS
1	0-2.7 Brown well graded silty fine to medium sand trace cobbles moist firm fill	Fill	Easy	See Table 1	
2	2.7- 6.0 Gray poorly graded clay silt moist	Glaciomarine			
3	firm glaciomarine				
4					
5					
6	6.0-8.0 Bluish Gray poorly graded clayey				
7	silt firm moist glaciomarine				
8					
	Bedrock refusal at 8.0 feet.	Bedrock			
Remarks: No groundwater observed. Ash Layer at 4'					

VIL_RESP05489

TEST PIT EXCAVATION LOG

JACQUES WHITFORD COMPANY, INC

75 Pearl Street, Suite 410

Portland, ME 04101

PROJECT: RL Windham/MEP04127				TESTPIT #: TP-7	
LOCATION: 13 Depot Street, Windham, Maine				DATE: 5/7/2004	
EXCAVATION EQUIPMENT				WEATHER: Fair, 70s	
CONTRACTOR: Les Wilson & Sons		TIME STARTED: 1245		FILE NO: Winham TPs	
OPERATOR: Ronald Wilson		TIME COMPLETED: 1315		JWC REP: D. Chapman A. Martin	
		GROUND ELEV:			
		DIMENSIONS:			
		LENGTH 7			
		WIDTH: 3			
		DEPTH: 5.8			
SAMPLE DEPTH (feet)	SOIL DESCRIPTION	STRATA CHANGE	EXCAVATION EFFORT	PID READING (ppm)	REMARKS
1	0-2.5 Yellow Brown silty sand poorly graded	Fill	Easy	See Table 1	
2	trace cobbles moist loose fill				
3	2.5-3.5 Black coarse sand poorly graded loose moist fill				
4	3.5-5.2 Light Gray clayey silt poorly graded	Glaciomarine			
5	moist firm glaciomarine				
	5.2-5.8 Bluish Gray clayey silt poorly graded firm moist glaciomarine				
6	Bedrock refusal at 6.0 feet.	Bedrock			
Remarks: Groundwater observed at 5.5'. 0-4' Petroleum Odor Iron Pipe at 5'					

VIL_RESP05490

TEST PIT EXCAVATION LOG

JACQUES WHITFORD COMPANY, INC

75 Pearl Street, Suite 410

Portland, ME 04101

PROJECT: RL Windham/MEP04127				TESTPIT #: TP-8	
LOCATION: 13 Depot Street, Windham, Maine				DATE: 5/7/2004	
EXCAVATION EQUIPMENT		TIME STARTED: 1345		WEATHER: Fair, 70s	
CONTRACTOR Les Wilson & Sons		TIME COMPLETED: 1430		FILE NO: Winham TPs	
OPERATOR: Ronald Wilson		GROUND ELEV:		JWC REP: D. Chapman A. Martin	
		DIMENSIONS:			
		LENGTH 10			
		WIDTH: 4			
		DEPTH: 8			
SAMPLE DEPTH (feet)	SOIL DESCRIPTION	STRATA CHANGE	EXCAVATION EFFORT	PID READING (ppm)	REMARKS
1	0-1.6 Yellow Brown fine to medium sand trace gravel poorly graded moist loose fill	Fill	Easy	See Table 1	
2	1.6-3.7 Dark Gray clayey silt poorly graded	Glaciomarine			
3	moist firm glaciomarine				
4	3.7-7.0 Gray clayey silt many lenses of fine				
5	sandy silt poorly graded firm moist				
6	glaciomarine				
7	7.0-8.0 Reddish Brown silty fine sand				
8	poorly graded firm moist glaciomarine				
	Bedrock refusal at 8.0 feet.	Bedrock			
Remarks: No groundwater observed.					

VIL_RESP05491

TEST PIT EXCAVATION LOG

JACQUES WHITFORD COMPANY, INC

75 Pearl Street, Suite 410

Portland, ME 04101

PROJECT: RL Windham/MEP04127				TESTPIT #: TP-9	
LOCATION: 13 Depot Street, Windham, Maine				DATE: 5/7/2004	
EXCAVATION EQUIPMENT				WEATHER: Fair, 70s	
CONTRACTOR: Les Wilson & Sons		TIME STARTED: 1440		FILE NO: Winham TPs	
OPERATOR: Ronald Wilson		TIME COMPLETED: 1500		JWC REP: D. Chapman A. Martin	
		GROUND ELEV:			
		DIMENSIONS:			
		LENGTH 8			
		WIDTH: 3			
		DEPTH: 8.5			
SAMPLE DEPTH (feet)	SOIL DESCRIPTION	STRATA CHANGE	EXCAVATION EFFORT	PID READING (ppm)	REMARKS
1	0-1.8 Yellow Brown fine to medium sand	Fill	Easy	See Table 1	
2	poorly graded moist loose fill				
3	1.8-3.0 Dark Gray clayey silt poorly graded	Glaciomarine			
4	moist firm glaciomarine				
5	3.0-7.2 Gray clayey silt moist firm poorly				
6	graded firm moist glaciomarine				
7	7.0-8.5 Reddish Brown silty fine sand				
8	poorly graded firm moist glaciomarine				
	Bedrock refusal at 8.5 feet.	Bedrock			
Remarks: No groundwater observed.					

VIL_RESP05492

TEST PIT EXCAVATION LOG

JACQUES WHITFORD COMPANY, INC

75 Pearl Street, Suite 410

Portland, ME 04101

PROJECT: RL Windham/MEP04127				TESTPIT #: TP-10	
LOCATION: 13 Depot Street, Windham, Maine				DATE: 5/7/2004	
EXCAVATION EQUIPMENT				WEATHER: Fair, 70s	
CONTRACTOR: Les Wilson & Sons		TIME STARTED: 1515		FILE NO: Winham TPs	
OPERATOR: Ronald Wilson		TIME COMPLETED: 1540		JWC REP: D. Chapman A. Martin	
		GROUND ELEV:			
		DIMENSIONS:			
		LENGTH 10			
		WIDTH: 3			
		DEPTH: 10			
SAMPLE DEPTH (feet)	SOIL DESCRIPTION	STRATA CHANGE	EXCAVATION EFFORT	PID READING (ppm)	REMARKS
1	0-0.3 Dark Brown silty sand poorly graded moist loose fill	Fill	Easy	See Table 1	
2	0.3-0.7 Yellow Brown sand poorly graded moist loose fill				
3	0.7-3.7 Light Yellow Brown fine sandy silt moist firm fill				
4	3.7-5.5 Black silty fine to medium sand wet loose glaciomarine	Glaciomarine			
5	5.5-6.0 Bluish Gray clayey silt poorly graded moist firm glaciomarine				
6	6.0-8.0 Yellow Brown medium to coarse sand moist loose glaciomarine				
7	8.0-10.0 Yellow Brown clayey silt poorly graded moist firm glaciomarine				
8					
9					
10					
	Bedrock refusal at 10.0 feet.	Bedrock			
Remarks: Perched groundwater entering at pit at 4'					

VIL_RESP05493

APPENDIX 7
LABORATORY ANALYTICAL REPORTS

(RL Windham Phase I-II.doc-6/17/04)

VIL_RESP05494

Sample IdentificationTP-2, 2-4
SA12358-01Client Project #

MEP04127

Matrix

Soil

Collection Date/Time

07-May-04 08:51

Received

13-May-04

Analyte(s)	Result	*RDL/Units	Dilution	Method Ref.	Prepared	Analyzed	Batch	Analyst	Flag
------------	--------	------------	----------	-------------	----------	----------	-------	---------	------

Volatile Organic Compounds

VOC Extraction	Field Extracted	N/A	1	VOC	13-May-04	13-May-04	4050847	LN	
----------------	-----------------	-----	---	-----	-----------	-----------	---------	----	--

Volatile Organic Compounds by SW846 8260B

Prepared by method SW846 5035A

Acetone	BRL	142 ug/kg dry	1	SW846 8260B	18-May-04	19-May-04	4051078	ZZZ	
Acrylonitrile	BRL	7.1 ug/kg dry	1	"	"	"	"	"	
Benzene	BRL	7.1 ug/kg dry	1	"	"	"	"	"	
Bromobenzene	BRL	7.1 ug/kg dry	1	"	"	"	"	"	
Bromochloromethane	BRL	7.1 ug/kg dry	1	"	"	"	"	"	
Bromodichloromethane	BRL	7.1 ug/kg dry	1	"	"	"	"	"	
Bromoform	BRL	7.1 ug/kg dry	1	"	"	"	"	"	
Bromomethane	BRL	14.2 ug/kg dry	1	"	"	"	"	"	
2-Butanone (MEK)	BRL	70.9 ug/kg dry	1	"	"	"	"	"	
n-Butylbenzene	BRL	7.1 ug/kg dry	1	"	"	"	"	"	
sec-Butylbenzene	BRL	7.1 ug/kg dry	1	"	"	"	"	"	
tert-Butylbenzene	BRL	7.1 ug/kg dry	1	"	"	"	"	"	
Carbon disulfide	BRL	35.4 ug/kg dry	1	"	"	"	"	"	
Carbon tetrachloride	BRL	7.1 ug/kg dry	1	"	"	"	"	"	
Chlorobenzene	BRL	7.1 ug/kg dry	1	"	"	"	"	"	
Chloroethane	BRL	14.2 ug/kg dry	1	"	"	"	"	"	
Chloroform	BRL	7.1 ug/kg dry	1	"	"	"	"	"	
Chloromethane	BRL	14.2 ug/kg dry	1	"	"	"	"	"	
2-Chlorotoluene	BRL	7.1 ug/kg dry	1	"	"	"	"	"	
4-Chlorotoluene	BRL	7.1 ug/kg dry	1	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	BRL	14.2 ug/kg dry	1	"	"	"	"	"	
Dibromochloromethane	BRL	7.1 ug/kg dry	1	"	"	"	"	"	
1,2-Dibromoethane (EDB)	BRL	7.1 ug/kg dry	1	"	"	"	"	"	
Dibromomethane	BRL	7.1 ug/kg dry	1	"	"	"	"	"	
1,2-Dichlorobenzene	BRL	7.1 ug/kg dry	1	"	"	"	"	"	
1,3-Dichlorobenzene	BRL	7.1 ug/kg dry	1	"	"	"	"	"	
1,4-Dichlorobenzene	BRL	7.1 ug/kg dry	1	"	"	"	"	"	
Dichlorodifluoromethane (Freon12)	BRL	14.2 ug/kg dry	1	"	"	"	"	"	
1,1-Dichloroethane	BRL	7.1 ug/kg dry	1	"	"	"	"	"	
1,2-Dichloroethane	BRL	7.1 ug/kg dry	1	"	"	"	"	"	
1,1-Dichloroethene	BRL	7.1 ug/kg dry	1	"	"	"	"	"	
cis-1,2-Dichloroethene	BRL	7.1 ug/kg dry	1	"	"	"	"	"	
trans-1,2-Dichloroethene	BRL	7.1 ug/kg dry	1	"	"	"	"	"	
1,2-Dichloropropane	BRL	7.1 ug/kg dry	1	"	"	"	"	"	
1,3-Dichloropropane	BRL	7.1 ug/kg dry	1	"	"	"	"	"	
2,2-Dichloropropane	BRL	7.1 ug/kg dry	1	"	"	"	"	"	
1,1-Dichloropropene	BRL	7.1 ug/kg dry	1	"	"	"	"	"	
cis-1,3-Dichloropropene	BRL	7.1 ug/kg dry	1	"	"	"	"	"	
trans-1,3-Dichloropropene	BRL	7.1 ug/kg dry	1	"	"	"	"	"	
Ethylbenzene	BRL	7.1 ug/kg dry	1	"	"	"	"	"	
Hexachlorobutadiene	BRL	7.1 ug/kg dry	1	"	"	"	"	"	

VIL-RESP05495

This laboratory report is not valid without an authorized signature on the cover page.

*Reportable Detection Limit

BRL = Below Reporting Limit

Page 2 of 22

Sample Identification

TP-2, 2-4

SA12358-01

Client Project #

MEP04127

Matrix

Soil

Collection Date/Time

07-May-04 08:51

Received

13-May-04

Analyte(s)	Result	*RDL/Units	Dilution	Method Ref.	Prepared	Analyzed	Batch	Analyst	Flag
------------	--------	------------	----------	-------------	----------	----------	-------	---------	------

Volatile Organic CompoundsVolatile Organic Compounds by SW846 8260B

Prepared by method SW846 5035A

2-Hexanone (MBK)	BRL	70.9 ug/kg dry	1	SW846 8260B	18-May-04	19-May-04	4051078	ZZZ
Isopropylbenzene	BRL	7.1 ug/kg dry	1	"	"	"	"	"
4-Isopropyltoluene	BRL	7.1 ug/kg dry	1	"	"	"	"	"
Methyl tert-butyl ether	BRL	7.1 ug/kg dry	1	"	"	"	"	"
4-Methyl-2-pentanone (MIBK)	BRL	70.9 ug/kg dry	1	"	"	"	"	"
Methylene chloride	BRL	70.9 ug/kg dry	1	"	"	"	"	"
Naphthalene	BRL	7.1 ug/kg dry	1	"	"	"	"	"
n-Propylbenzene	BRL	7.1 ug/kg dry	1	"	"	"	"	"
Styrene	BRL	7.1 ug/kg dry	1	"	"	"	"	"
1,1,1,2-Tetrachloroethane	BRL	7.1 ug/kg dry	1	"	"	"	"	"
1,1,2,2-Tetrachloroethane	BRL	7.1 ug/kg dry	1	"	"	"	"	"
Tetrachloroethene	BRL	7.1 ug/kg dry	1	"	"	"	"	"
Toluene	BRL	7.1 ug/kg dry	1	"	"	"	"	"
1,2,3-Trichlorobenzene	BRL	7.1 ug/kg dry	1	"	"	"	"	"
1,2,4-Trichlorobenzene	BRL	7.1 ug/kg dry	1	"	"	"	"	"
1,1,1-Trichloroethane	BRL	7.1 ug/kg dry	1	"	"	"	"	"
1,1,2-Trichloroethane	BRL	7.1 ug/kg dry	1	"	"	"	"	"
1,1,2,2-Tetrachloroethane	BRL	7.1 ug/kg dry	1	"	"	"	"	"
Trichlorofluoromethane (Freon 11)	BRL	7.1 ug/kg dry	1	"	"	"	"	"
1,2,3-Trichloropropane	BRL	7.1 ug/kg dry	1	"	"	"	"	"
1,2,4-Trimethylbenzene	BRL	7.1 ug/kg dry	1	"	"	"	"	"
1,3,5-Trimethylbenzene	BRL	7.1 ug/kg dry	1	"	"	"	"	"
Vinyl chloride	BRL	7.1 ug/kg dry	1	"	"	"	"	"
m,p-Xylene	BRL	14.2 ug/kg dry	1	"	"	"	"	"
o-Xylene	BRL	7.1 ug/kg dry	1	"	"	"	"	"
Surrogate: 4-Bromofluorobenzene	81.4	70-130 %		"	"	"	"	"
Surrogate: Toluene-d8	99.0	70-130 %		"	"	"	"	"
Surrogate: 1,2-Dichloroethane-d4	111	70-130 %		"	"	"	"	"
Surrogate: Dibromofluoromethane	104	70-130 %		"	"	"	"	"

This laboratory report is not valid without an authorized signature on the cover page.

*Reportable Detection Limit

BRL = Below Reporting Limit

VIL_RESP05496

Page 3 of 22

Sample IdentificationTP-2, 2-4
SA12358-01Client Project #

MEP04127

Matrix

Soil

Collection Date/Time

07-May-04 08:51

Received

13-May-04

<i>Analyte(s)</i>	<i>Result</i>	<i>*RDL/Units</i>	<i>Dilution</i>	<i>Method Ref.</i>	<i>Prepared</i>	<i>Analyzed</i>	<i>Batch</i>	<i>Analyst</i>	<i>Flag</i>
-------------------	---------------	-------------------	-----------------	--------------------	-----------------	-----------------	--------------	----------------	-------------

General Chemistry Parameters

% Solids	81.6	%	1	SM2540 G Mod.	13-May-04	14-May-04	4050825	LN	
----------	------	---	---	---------------	-----------	-----------	---------	----	--

This laboratory report is not valid without an authorized signature on the cover page.

*Reportable Detection Limit

BRL = Below Reporting Limit

Page 4 of 22

VIL_RESP05497

Sample Identification

TP-3, 2-4

SA12358-02

Client Project #

MEP04127

Matrix

Soil

Collection Date/Time

07-May-04 09:21

Received

13-May-04

Analyte(s)	Result	*RDL/Units	Dilution	Method Ref.	Prepared	Analyzed	Batch	Analyst	Flag
------------	--------	------------	----------	-------------	----------	----------	-------	---------	------

Volatile Organic Compounds

VOC Extraction	Field Extracted	N/A	1	VOC	13-May-04	13-May-04	4050847	LN	
----------------	-----------------	-----	---	-----	-----------	-----------	---------	----	--

Volatile Organic Compounds by SW846 8260B

Prepared by method SW846 5035A

Acetone	197	135 ug/kg dry	1	SW846 8260B	18-May-04	19-May-04	4051078	ZZZ	VOC6
Acrylonitrile	BRL	6.7 ug/kg dry	1	"	"	"	"	"	
Benzene	BRL	6.7 ug/kg dry	1	"	"	"	"	"	
Bromobenzene	BRL	6.7 ug/kg dry	1	"	"	"	"	"	
Bromochloromethane	BRL	6.7 ug/kg dry	1	"	"	"	"	"	
Bromodichloromethane	BRL	6.7 ug/kg dry	1	"	"	"	"	"	
Bromoform	BRL	6.7 ug/kg dry	1	"	"	"	"	"	
Bromomethane	BRL	13.5 ug/kg dry	1	"	"	"	"	"	
2-Butanone (MEK)	BRL	67.5 ug/kg dry	1	"	"	"	"	"	
n-Butylbenzene	BRL	6.7 ug/kg dry	1	"	"	"	"	"	
sec-Butylbenzene	BRL	6.7 ug/kg dry	1	"	"	"	"	"	
tert-Butylbenzene	BRL	6.7 ug/kg dry	1	"	"	"	"	"	
Carbon disulfide	BRL	33.7 ug/kg dry	1	"	"	"	"	"	
Carbon tetrachloride	BRL	6.7 ug/kg dry	1	"	"	"	"	"	
Chlorobenzene	BRL	6.7 ug/kg dry	1	"	"	"	"	"	
Chloroethane	BRL	13.5 ug/kg dry	1	"	"	"	"	"	
Chloroform	BRL	6.7 ug/kg dry	1	"	"	"	"	"	
Chloromethane	BRL	13.5 ug/kg dry	1	"	"	"	"	"	
2-Chlorotoluene	BRL	6.7 ug/kg dry	1	"	"	"	"	"	
4-Chlorotoluene	BRL	6.7 ug/kg dry	1	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	BRL	13.5 ug/kg dry	1	"	"	"	"	"	
Dibromochloromethane	BRL	6.7 ug/kg dry	1	"	"	"	"	"	
1,2-Dibromoethane (EDB)	BRL	6.7 ug/kg dry	1	"	"	"	"	"	
Dibromomethane	BRL	6.7 ug/kg dry	1	"	"	"	"	"	
1,2-Dichlorobenzene	BRL	6.7 ug/kg dry	1	"	"	"	"	"	
1,3-Dichlorobenzene	BRL	6.7 ug/kg dry	1	"	"	"	"	"	
1,4-Dichlorobenzene	BRL	6.7 ug/kg dry	1	"	"	"	"	"	
Dichlorodifluoromethane (Freon12)	BRL	13.5 ug/kg dry	1	"	"	"	"	"	
1,1-Dichloroethane	BRL	6.7 ug/kg dry	1	"	"	"	"	"	
1,2-Dichloroethane	BRL	6.7 ug/kg dry	1	"	"	"	"	"	
1,1-Dichloroethene	BRL	6.7 ug/kg dry	1	"	"	"	"	"	
cis-1,2-Dichloroethene	BRL	6.7 ug/kg dry	1	"	"	"	"	"	
trans-1,2-Dichloroethene	BRL	6.7 ug/kg dry	1	"	"	"	"	"	
1,2-Dichloropropane	BRL	6.7 ug/kg dry	1	"	"	"	"	"	
1,3-Dichloropropane	BRL	6.7 ug/kg dry	1	"	"	"	"	"	
2,2-Dichloropropane	BRL	6.7 ug/kg dry	1	"	"	"	"	"	
1,1-Dichloropropene	BRL	6.7 ug/kg dry	1	"	"	"	"	"	
cis-1,3-Dichloropropene	BRL	6.7 ug/kg dry	1	"	"	"	"	"	
trans-1,3-Dichloropropene	BRL	6.7 ug/kg dry	1	"	"	"	"	"	
Phenylbenzene	BRL	6.7 ug/kg dry	1	"	"	"	"	"	
Hexachlorobutadiene	BRL	6.7 ug/kg dry	1	"	"	"	"	"	

This laboratory report is not valid without an authorized signature on the cover page.

VIL_RESP05498

*Reportable Detection Limit

BRL = Below Reporting Limit

Page 5 of 22